

03560.002556



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
KATSUYUKI KOBAYASHI ET AL.)
Application No.: 09/525,021)
Filed: March 14, 2000)
For: POSITION INFORMATION INPUT)
APPARATUS AND METHOD)
Examiner: Kevin M. Nguyen
Group Art Unit: 2674
U.S. Patent No.: 6,963,331 B1
Issued: November 8, 2005
March 30, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

ATTENTION: CERTIFICATES OF CORRECTION BRANCH

Certificate
APR 04 2006
of Correction

**CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323**

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

03/31/2006 JHD/01 00000000 0703331

01 FC:1811


100.00 0P

APR 05 2006

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Brian L. Klock', written over a horizontal line.

Brian L. Klock
Attorney for Patentees
Registration No. 36,570

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200
BLK/llp

DC_MAIN 233591v1

APR 05 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 1 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE

At Item (57) Abstract, line 1, "The" should read -This--.

Line 4, "The" should read --The coordinate input--.

Line 6, "device" should read --device,--.

Line 7, "having" should read --consisting of a plurality of--.

Line 9, "in" should read --in a--.

Line 10, "in" should read --in a--.

Line 12, "pixel" should read --pixels in each direction forward and backward from the pixel--.

COLUMN 1

Line 22, "an" should be deleted.

COLUMN 2

Line 4, "on" should read --on the--.

Line 16, "cameras," should read --cameras. Additionally,--.

Line 17, "and" should be deleted.

Line 18, "an" should be deleted.

Line 44, "when" should read --when a--.

Line 46, "voltage, but" should read --voltage. However in a structure that receives only low levels of light (i.e., CCD output is small),--.

Line 47, "satisfactorily" should read --satisfactorily,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/lp DC_MAIN 233591v1



APR 05 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 2 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2, CONT'D.

Line 48, "decreased, in a structure which receives only low levels" should be deleted.

Line 49, "of light (namely CCD output is small). To adjust" should read
--decreased. Adjusting--.

Line 53, "required." should read --required. ¶ SUMMARY OF THE INVENTION--.

Lines 65-67, "Embodiments of the invention will now be described in detail with
reference to the accompanying drawings, in which:" should be deleted.

COLUMN 3

Line 46, "showing a" should read --showing--.

Line 60, "OF" should read --OF THE--.

Line 61, "EMBODIMENTS" should read --EMBODIMENTS

¶ Preferred embodiments of the invention will now be described in detail
with reference to the accompanying drawings.--.

COLUMN 4

Line 4, "displaying" should read --displaying an--.

Line 11, "beam 45," should read --beam 45 (FIG. 1),--.

Line 26, "References" should read --References herein--.

Line 43, "screen 10" should read --screen 10,--.

Line 48, "computer" should read --computer 200--.

Line 59, "information" should read --information,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 3 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 5

Line 3, "memory" should read --memory,--.

Line 61, "element 41," should read --element 41 thereby--.

COLUMN 6

Line 24, "i.e." should read --i.e.,--.

COLUMN 9

Line 22, "Therefore" should read --Therefore,--.

Line 52, "unit 3," should read --unit 31,--.

Line 63, "detection output" should read --luminous energy--.

COLUMN 10

Line 11, "seen" should read --shown--.

Line 15, "CDROM" should read --CD ROM--.

Line 29, "Input" should read --The input--.

Line 30, "input, and" should read --input, and the--.

Line 67, "without" should read --without the--.

COLUMN 11

Line 19, "sensor" should read --sensors--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/ltp DC_MAIN 233591v1



APR 05 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 4 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12

Line 13, "focus" should read --the focus--.

Line 20, "degrees," should read --degrees (40°),--.

Line 49, "stores" should read --stores an--.

Line 52, "pixel" should read --pixel,--.

COLUMN 13

Line 16, "i.e." should read --i.e.,--.

Line 27, "if" should read --if a--.

Line 28, "together" should read --together the--.

Line 43, "(i.e." should read --(i.e.,--.

Line 49, "(n+1th)" should read --(n+1)th--.

Line 50, "subtracting" should read --subtracting the--.

COLUMN 14

Line 4, "situation.)." should read --situation)--.

Line 6, "first" should read --first,--.

Line 9, "sets" should be deleted.

Line 11, "unit" should read --unit 31--, and "of" should read --of the--.

Line 17, "no." should read --nO.--.

Line 27, "to" should read --to a--.

Line 28, "in" should read --in a--.

Line 30, "that" should read --that,--, and "S112" should read --S112,--.

Line 31, "level" should read --level,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/lip DC_MAIN 233591v1



APR 05 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 5 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 15

Line 40, "element" should read --element,--.

COLUMN 16

Line 11, "cont" should read --count--.

Line 12, "cont" should read --count--, and "in" should read --in the--.

COLUMN 17

Line 9, "(x-1,Y-1)" should read --(X-1,Y-1)--.

Line 54, "in" should read --in the--.

COLUMN 18

Line 3, "N² pixels." should read --N² pixels.--.

Line 22, "of" should read --of the--.

Line 42, "reach" should read --reach the--.

Line 46, "increasing" should read --increasing the--.

COLUMN 19

Line 4, "of" should read --of the--.

Line 15, "cont" should read --count--.

COLUMN 20

Line 10, "making LED light emitting" should read --making the LED light emitted--.

Line 16, "cont" should read --count--.

Line 20, "where" should read --where the--.

Line 43, "a little" should be deleted.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/llp DC_MAIN 233591v1



APR 05 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 6 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 22

Line 9, "having a" should read --having an--.

COLUMN 23

Line 32, "of the" should read --of a--.

Line 33, "of the" should read --of the same--.

COLUMN 24

Line 17, "comprising;" should read --comprising:--.

Line 55, "of the" should read --of a--.

Line 56, "of the" should read --of the same--.

COLUMN 25

Line 30, "of the" should read --of a--.

Line 31, "of the" should read --of the same--.

Line 53, "of the" should read --of a--.

Line 54, "of the" should read --of the same--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/llp DC_MAIN 233591v1



APR 05 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 7 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 26

Line 17, "of the" should read --of a--.

Line 18, "of the" should read --of the same--.

Line 42, "of the" should read --of a--.

Line 43, "of the" should read --of the same--.

Line 55, "by spaced" should read --spaced by--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/lip DC_MAIN 233591v1



APR 05 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 1 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE

At Item (57) Abstract, line 1, "The" should read -This--.

Line 4, "The" should read --The coordinate input--.

Line 6, "device" should read --device,--.

Line 7, "having" should read --consisting of a plurality of--.

Line 9, "in" should read --in a--.

Line 10, "in" should read --in a--.

Line 12, "pixel" should read --pixels in each direction forward and backward from the pixel--.

COLUMN 1

Line 22, "an" should be deleted.

COLUMN 2

Line 4, "on" should read --on the--.

Line 16, "cameras," should read --cameras. Additionally,--.

Line 17, "and" should be deleted.

Line 18, "an" should be deleted.

Line 44, "when" should read --when a--.

Line 46, "voltage, but" should read --voltage. However in a structure that receives only low levels of light (i.e., CCD output is small),--.

Line 47, "satisfactorily" should read --satisfactorily,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page



APR 05 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1
DATED : November 8, 2005
INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 2 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2, CONT'D.

Line 48, "decreased, in a structure which receives only low levels" should be deleted.
Line 49, "of light (namely CCD output is small). To adjust" should read
--decreased. Adjusting--.
Line 53, "required." should read --required. ¶ SUMMARY OF THE INVENTION--.
Lines 65-67, "Embodiments of the invention will now be described in detail with
reference to the accompanying drawings, in which:" should be deleted.

COLUMN 3

Line 46, "showing a" should read --showing--.
Line 60, "OF" should read --OF THE--.
Line 61, "EMBODIMENTS" should read --EMBODIMENTS
¶ Preferred embodiments of the invention will now be described in detail
with reference to the accompanying drawings.--.

COLUMN 4

Line 4, "displaying" should read --displaying an--.
Line 11, "beam 45," should read --beam 45 (FIG. 1),--.
Line 26, "References" should read --References herein--.
Line 43, "screen 10" should read --screen 10,--.
Line 48, "computer" should read --computer 200--.
Line 59, "information" should read --information,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page



APR 03 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 3 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 5

Line 3, "memory" should read --memory,--.

Line 61, "element 41," should read --element 41 thereby--.

COLUMN 6

Line 24, "i.e." should read --i.e.,--.

COLUMN 9

Line 22, "Therefore" should read --Therefore,--.

Line 52, "unit 3," should read --unit 31,--.

Line 63, "detection output" should read --luminous energy--.

COLUMN 10

Line 11, "seen" should read --shown--.

Line 15, "CDROM" should read --CD ROM--.

Line 29, "Input" should read --The input--.

Line 30, "input, and" should read --input, and the--.

Line 67, "without" should read --without the--.

COLUMN 11

Line 19, "sensor" should read --sensors--.

Staple
Here
Only!

PRINTER'S TRIM LINE

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/lp DC_MAIN 233591v1



APR 05 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 4 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12

Line 13, "focus" should read --the focus--.
Line 20, "degrees," should read --degrees (40°),--.
Line 49, "stores" should read --stores an--.
Line 52, "pixel" should read --pixel,--.

COLUMN 13

Line 16, "i.e." should read --i.e.,--.
Line 27, "if" should read --if a--.
Line 28, "together" should read --together the--.
Line 43, "(i.e." should read --(i.e.,--.
Line 49, "(n+1th)" should read --(n+1)th--.
Line 50, "subtracting" should read --subtracting the--.

COLUMN 14

Line 4, "situation.)." should read --situation).--.
Line 6, "first" should read --first,--.
Line 9, "sets" should be deleted.
Line 11, "unit" should read --unit 31--, and "of" should read --of the--.
Line 17, "no." should read --nO.--.
Line 27, "to" should read --to a--.
Line 28, "in" should read --in a--.
Line 30, "that" should read --that,--, and "S112" should read --S112,--.
Line 31, "level" should read --level,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/lip DC_MAIN 233591v1



APR 05 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1
DATED : November 8, 2005
INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 5 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 15

Line 40, "element" should read --element,--.

COLUMN 16

Line 11, "cont" should read --count--.

Line 12, "cont" should read --count--, and "in" should read --in the--.

COLUMN 17

Line 9, "(x-1,Y-1)" should read --(X-1,Y-1)--.

Line 54, "in" should read --in the--.

COLUMN 18

Line 3, "N² pixels." should read --N2 pixels.--.

Line 22, "of" should read --of the--.

Line 42, "reach" should read --reach the--.

Line 46, "increasing" should read --increasing the--.

COLUMN 19

Line 4, "of" should read --of the--.

Line 15, "cont" should read --count--.

COLUMN 20

Line 10, "making LED light emitting" should read --making the LED light emitted--.

Line 16, "cont" should read --count--.

Line 20, "where" should read --where the--.

Line 43, "a little" should be deleted.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/1lp DC_MAIN 233591v1



APR 05 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 6 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 22

Line 9, "having a" should read --having an--.

COLUMN 23

Line 32, "of the" should read --of a--.

Line 33, "of the" should read --of the same--.

COLUMN 24

Line 17, "comprising;" should read --comprising:--.

Line 55, "of the" should read --of a--.

Line 56, "of the" should read --of the same--.

COLUMN 25

Line 30, "of the" should read --of a--.

Line 31, "of the" should read --of the same--.

Line 53, "of the" should read --of a--.

Line 54, "of the" should read --of the same--.

Staple
Here
Only!

PRINTER'S TRIM LINE

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/1lp DC_MAIN 233591v1



APR 05 2005

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,963,331 B1

DATED : November 8, 2005

INVENTOR(S) : Katsuyuki Kobayashi et al.

Page 7 of 7

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 26

Line 17, "of the" should read --of a--.

Line 18, "of the" should read --of the same--.

Line 42, "of the" should read --of a--.

Line 43, "of the" should read --of the same--.

Line 55, "by spaced" should read --spaced by--.

Staple
Here
Only!

PRINTER'S TRIM LINE

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,963,311 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) BLK/1p DC_MAIN 233591v1



APR 05 2006